Neuroscience Letters, 153 (1993) 237–239
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, K., see Kawagoe, J.-i., 165
Abe, K., Kawagoe, J. and Kogure, K., Early disturbance of a mitochondrial DNA expression in gerbil hippocampus after transient forebrain ischemia, 173
Alexander, S.P.H., see Cartmell, J., 107
Alhayek, G., see Dehaut, F., 41
Almqvist, E., see Lannfelt, L., 85
Anderson, B., Evidence from the rat for a general factor that underlies cognitive performance and that relates to brain size: intelligence?, 98
Angaut-Petit, D., Ferrús, A. and Faille, L., Plasticity of motor nerve terminals in *Drosophila T(X,Y)V7* mutant: effect of deregulation of the novel calcium-binding protein frequenin, 227
Archelos, J.J., see Zielasek, J., 136
Armengaud, C., see Zini, S., 202
Axelman, K., see Lannfelt, L., 85

Baudry, M., see Schreiber, S.S., 17
Ben-Ari, Y., see Zini, S., 202
Bennett, B.A., Hyde, C.E., Pecora, J.R. and Clodfelter, J.E., Long-term cocaine administration is not neurotoxic to cultured fetal mesencephalic dopamine neurons, 210
Bernardi, G., see Mercuri, N.B., 192
Bileviciute, I., Lundeberg, T., Ekblom, A. and Theodorsson, E., Bilateral changes of substance P-, neurokinin A-, calcitonin gene-related peptide- and neuropeptide Y-like immunoreactivity in rat knee joint synovial fluid during acute monoarthritis, 37
Bouras, C., Hof, P.R. and Morrison, J.H., Neurofibrillary tangle densities in the hippocampal formation in a non-demented population define subgroups of patients with differential early pathologic changes, 131

Calabresi, P., see Mercuri, N.B., 192
Carter, D.B., see Hamilton, B.J., 206
Cartmell, J., Curtis, A.R., Kemp, J.A., Kendall, D.A. and Alexander, S.P.H., Subtypes of metabotropic excitatory amino acid receptor distinguished by stereoisomers of the rigid glutamate analogue, 1-aminocyclopentane-1,3-dicarboxylate, 107
Chan, S.H.H., see Shyr, M.-H., 161
Chandler, S., see Kadowaki, K., 80
Chang, S.-S., see Liang, P., 181
Cheng, J.-T., see Liang, P., 181
Cheng, S.W.T., see Stoehr, J.D., 103
Cheron, G., see Godaux, E., 149
Chiba, T., see Fukuda, Y., 177
Chowdhury, K., see Pecháň, P.A., 111
Clodfelter, J.E., see Bennett, B.A., 210
Comella, J.-X., Molgo, J. and Faille, L., Sprouting of mammalian motor nerve terminals induced by in vivo injection of botulinum type-D toxin and the functional recovery of paralysed neuromuscular junctions, 61
Cras, P., see Vandermeeren, M., 57
Curtis, A.R., see Cartmell, J., 107

Dehaut, F., Montero-Menei, C., Alhayek, G. and Pouplard-Barthelaix, A., Differential behaviour of PC12 cells grafted into rat hippocampus and striatum, 41
Delivoria-Papadopoulos, M., see Graham, E., 93
Desmeules, J.A., see Lanteri-Minet, M., 49
Djamgoz, M.B.A., see Stephens, G.J., 223

Ebner, T.J., see Flament, D., 144
Eckert, R., Utz, J. and Trautwein, W., Role of intracellular Ca^{2+}-stores in the 5-hydroxytryptamine-induced Ca^{2+}-current inhibition in NG108-15 hybrid cells, 25
Ekblom, A., see Bileviciute, I., 37
Emson, P.C., see Kadowaki, K., 80

Faille, L., see Angaut-Petit, D., 227
Faille, L., see Comella, J.-X., 61
Ferrús, A., see Angaut-Petit, D., 227
Fisher, N.D. and Nistri, A., Substance P and TRH share a common effector pathway in rat spinal motoneurones: an in vitro electrophysiological investigation, 115
Flament, D., Onstott, D., Fu, Q.-G. and Ebner, T.J., Distance- and error-related discharge of cells in premotor cortex of rhesus monkeys, 144
Fu, Q.-G., see Flament, D., 144
Fukuda, Y., Tojima, H., Tanaka, K. and Chiba, T., Respiratory suppression by focal cooling of ventral medullary surface in anesthetized rats; functional and neuroanatomical correlate, 177

Gadient, R.A. and Otten, U., Differential expression of interleukin-6 (IL-6) and interleukin-6 receptor (IL-6R) mRNAs in rat hypothalamus, 13
Gerdes, W., see Pecháň, P.A., 111
Godaux, E. and Cheron, G., The role of the vestibular commissure in the gaze holding of the cat, 149
Graham, E., Mishra, O.P. and Delivoria-Papadopoulos, M., Brain cell membrane Na^+,K^+-ATPase modification following hypoxia in the guinea pig fetus, 93
Grantyn, R., see Rörig, B., 32
Green, P.G., see Khasar, S.G., 215
Gros, F., see Krieger, M., 88

Halleux, P., see Mailleux, P., 125
Hamilton, B.J., Lennon, D.J., Im, H.K., Im, W.B., Seeburg, P.H. and Carter, D.B., Stable expression of cloned rat $GABA_A$ receptor subunits in a human kidney cell line, 206
Harigaya, Y., see Kawarabayashi, T., 73
Harmar, A.J., see Smith, G.D., 5
Hartung, H.-P., see Zielasek, J., 136
Hirai, S., see Kawarabayashi, T., 73
Hitosugi, H., see Kamei, J., 69
Hof, P.R., see Bouras, C., 131
Hoheisel, U., Mense, S., Simons, D.G. and Yu, X.-M., Appearance of new receptive fields in rat dorsal horn neurons following noxious stimulation of skeletal muscle: a model for referral of muscle pain?, 9
Hyde, C.E., see Bennett, B.A., 210

Im, H.K., see Hamilton, B.J., 206
Im, W.B., see Hamilton, B.J., 206
Ishiguro, K., see Kawarabayashi, T., 73

Johansson, K., see Lannfelt, L., 85
Johnston, I., see Peers, C., 45

Kaczmarek, L., see Kaminska, B., 189
Kadowaki, K., McGowan, E., Mock, G., Chandler, S. and Emson, P.C., Distribution of calcium binding protein mRNAs in rat cerebellar cortex, 80
Kamei, J., Hitosugi, H., Kawashima, N., Misawa, M. and Kasuya, Y., Antinociceptive effects of intrathecally administered endothelin-1 in mice, 69
Kaminska, B. and Kaczmarek, L., Robust induction of AP-1 transcription factor DNA binding activity in the hippocampus of aged rats, 189
Kaneko, T., see Shigemoto, R., 157
Kasuya, Y., see Kamei, J., 69
Kawagoe, J., see Abe, K., 173
Kawagoe, J.-i., Abe, K. and Kogure, K., Regional difference of HSP70 and HSC70 heat shock mRNA inductions in rat hippocampus after transient global ischemia, 165
Kawarabayashi, T., Shoji, M., Yamaguchi, H., Tanaka, M., Harigaya, Y., Ishiguro, K. and Hirai, S., Amyloid β protein precursor accumulates in swollen neurites throughout rat brain with aging, 73
Kawasaki, K., see Sakaguchi, T., 65
Kawashima, N., see Kamei, J., 69
Kemp, J.A., see Cartmell, J., 107
Kendall, D.A., see Cartmell, J., 107
Kenimer, J.G., see Takashima, A., 77
Khasar, S.G., Green, P.G. and Levine, J.D., Comparison of intradermal and subcutaneous hyperalgesic effects of inflammatory mediators in the rat, 215
Kitamura, T., see Sakaguchi, T., 65
Kobayashi, Y., see Takakusaki, K., 185
Kogure, K., see Abe, K., 173
Kogure, K., see Kawagoe, J.-i., 165
Kohyama, J., see Takakusaki, K., 185
Krieger, M., Tillet, Y., Gros, F. and Thibault, J., Preparation of an antiserum using a fusion protein produced by a cDNA for rat aromatic L-amino acid decarboxylase, 88
Kuo, T.B.J., see Shyr, M.-H., 161

Lang, B., see Peers, C., 45
Lannfelt, L., Viitanen, M., Johansson, K., Axelman, K., Lilius, L., Almqvist, E. and Winblad, B., Low frequency of the APP 670/671 mutation in familial Alzheimer's disease in Sweden, 85
Lanteri-Minet, M., Desmeules, J.A. and Menetrey, D., Opposite effects of axon damage on heat shock proteins (hsp 70) and ubiquitin contents in motor neurons of neuropathic rats, 49
Lennon, D.J., see Hamilton, B.J., 206
Levine, J.D., see Khasar, S.G., 215
Li, L., see Wu, W., 121
Li, Y.-Q., Takada, M. and Mizuno, N., Collateral projections of single neurons in the periaqueductal gray and dorsal raphe nucleus to both the trigeminal sensory complex and spinal cord in the rat, 153
Liang, P., Chang, S.-S. and Cheng, J.-T., Inhibitory effect of xylamine on the uptake of [^{3}H]dopamine into isolated striatal synaptosomes of the rats, 181
Lilius, L., see Lannfelt, L., 85
Lübke, U., see Vandermeeren, M., 57
Lundeberg, T., see Bileviciute, I., 37

Mailleux, P., Halleux, P., Verslijpe, M., Segers, V. and Vanderhaeghen, J.-J., Neuronal localization in the rat brain of the messenger RNA encoding calcyphosine, a new calcium-binding protein, 125
Marriott, D.R., see Stephens, G.J., 223
Matsuyama, K., see Takakusaki, K., 185
McGowan, E., see Kadowaki, K., 80
Menetrey, D., see Lanteri-Minet, M., 49
Mense, S., see Hoheisel, U., 9
Mercuri, N.B., Stratta, F., Calabresi, P. and Bernardi, G., Neurotensin induces an inward current in rat mesencephalic dopaminergic neurons, 192
Misawa, M., see Kamei, J., 69
Mishra, O.P., see Graham, E., 93
Miyagawa, T., Saito, H. and Nishiyama, N., Branching enhancement by basic fibroblast growth factor in cut neurite of hippocampal neurons, 29
Mizuno, N., see Li, Y.-Q., 153
Mizuno, N., see Shigemoto, R., 157
Mock, G., see Kadowaki, K., 80
Molgo, J., see Comella, J.-X., 61
Montero-Menei, C., see Dehaut, F., 41
Mori, S., see Takakusaki, K., 185
Morrison, J.H., see Bouras, C., 131
Murase, S., Takayama, M. and Nosaka, S., Chemical stimulation of the nucleus locus coeruleus: cardiovascular responses and baroreflex modification, 1

Najm, I., see Schreiber, S.S., 17
Nakagawa, H., see Tamaru, T., 169
Nakanishi, S., see Shigemoto, R., 157
Nakaya, Y., see Shigemoto, R., 157
Nishiyama, N., see Miyagawa, T., 29
Nistri, A., see Fisher, N.D., 115
Nomura, S., see Shigemoto, R., 157
North, W.G., see Stoehr, J.D., 103
Nosaka, S., see Murase, S., 1

Ogawa-Meguro, R., see Shigemoto, R., 157
Ohishi, H., see Shigemoto, R., 157
Okada, M., see Sakaguchi, T., 65
Okada, M., see Tamaru, T., 169
Onstott, D., see Flament, D., 144
Orzi, F., see Passarelli, F., 197
Otten, U., see Gadient, R.A., 13

Pan, W.H.T., see Shyr, M.-H., 161
Panter, S.S., see Regan, R.F., 53, 219
Passarelli, F. and Orzi, F., Somatostatin mRNA in the hippocampal formation following electroconvulsive shock in the rat, 197
Pecháň, P.A., Chowdhury, K., Gerdes, W. and Seifert, W., Glutamate induces the growth factors NGF, bFGF, the receptor FGF-R1 and c-*fos* mRNA expression in rat astrocyte culture, 111
Pecora, J.R., see Bennett, B.A., 210
Peers, C., Johnston, I., Lang, B. and Wray, D., Cross-linking of presynaptic calcium channels: a mechanism of action for Lambert–Eaton myasthenic syndrome antibodies at the mouse neuromuscular junction, 45
Pouplard-Barthelaix, A., see Dehaut, F., 41

Regan, R.F., Renn, K.E. and Panter, S.S., NMDA neurotoxicity in murine cortical cell cultures is not attenuated by hemoglobin or inhibition of nitric oxide synthesis, 53
Regan, R.F. and Panter, S.S., Neurotoxicity of hemoglobin in cortical cell culture, 219
Renn, K.E., see Regan, R.F., 53
Rörig, B. and Grantyn, R., Rat retinal ganglion cells express Ca^{2+}-

permeable non-NMDA glutamate receptors during the period of histogenetic cell death, 32
Roisin, M.-P., see Zini, S., 202

Saito, H., see Miyagawa, T., 29
Sakaguchi, T., Okada, M., Kitamura, T. and Kawasaki, K., Reduced diameter and conduction velocity of myelinated fibers in the sciatic nerve of a neurofilament-deficient mutant quail, 65
Schmidt, Y., see Unger, J.W., 140
Schreiber, S.S., Tocco, G., Najm, I. and Baudry, M., Seizure activity causes a rapid increase in sulfated glycoprotein-2 messenger RNA in the adult but not the neonatal rat brain, 17
Seckl, J.R., see Smith, G.D., 5
Seeburg, P.H., see Hamilton, B.J., 206
Segers, V., see Mailleux, P., 125
Seifert, W., see Pecháň, P.A., 111
Shigemoto, R., Nakaya, Y., Nomura, S., Ogawa-Meguro, R., Ohishi, H., Kaneko, T., Nakanishi, S. and Mizuno, N., Immunocytochemical localization of rat substance P receptor in the striatum, 157
Shippenberg, T.S., see Spanagel, R., 232
Shoji, M., see Kawarabayashi, T., 73
Shyr, M.-H., Yang, C.-H., Kuo, T.B.J., Pan, W.H.T., Tan, P.P.C. and Chan, S.H.H., Power spectral analysis of the electroencephalographic and hemodynamic correlates of propofol anesthesia in the rat: intravenous bolus administration, 161
Simons, D.G., see Hoheisel, U., 9
Six, J., see Vandermeeren, M., 57
Smith, G.D., Seckl, J.R. and Harmar, A.J., Distribution of neuropeptides in dorsal root ganglia of the rat; substance P, somatostatin and calcitonin gene-related peptide, 5
Spanagel, R. and Shippenberg, T.S., Modulation of morphine-induced sensitization by endogenous κ opioid systems in the rat, 232
Stephens, G.J., Marriott, D.R., Djamgoz, M.B.A. and Wilkin, G.P., Electrophysiological and biochemical evidence for bradykinin receptors on cultured rat cortical oligodendrocytes, 223
Stoehr, J.D., Cheng, S.W.T. and North, W.G., Homozygous Brattleboro rats display attenuated conditioned freezing responses, 103
Stratta, F., see Mercuri, N.B., 192

Takada, M., see Li, Y.-Q., 153
Takakusaki, K., Matsuyama, K., Kobayashi, Y., Kohyama, J. and Mori, S., Pontine microinjection of carbachol and critical zone for inducing postural atonia in reflexively standing decerebrate cats, 185
Takashima, A. and Kenimer, J.G., Regulation of muscarinic stimulation of norepinephrine release and PI hydrolysis during cell growth in PC12 cells, 77
Takayama, M., see Murase, S., 1
Tamaru, T., Trigun, S.K., Okada, M. and Nakagawa, H., Identification of cells expressing a D type G1 cyclin in matured brain: implication for its role in neuronal function, 169
Tan, P.P.C., see Shyr, M.-H., 161
Tanaka, K., see Fukuda, Y., 177
Tanaka, M., see Kawarabayashi, T., 73
Theodorsson, E., see Bileviciute, I., 37
Thibault, J., see Krieger, M., 88
Tillet, Y., see Krieger, M., 88
Tocco, G., see Schreiber, S.S., 17
Tojima, H., see Fukuda, Y., 177
Toyka, K.V., see Zielasek, J., 136
Trautwein, W., see Eckert, R., 25
Trigun, S.K., see Tamaru, T., 169

Unger, J.W. and Schmidt, Y., Galanin-immunoreactivity in the nucleus basalis of Meynert in the rat: age-related changes and differential response to lesion-induced cholinergic cell loss, 140
Utz, J., see Eckert, R., 25

Vanderhaeghen, J.-J., see Mailleux, P., 125
Vandermeeren, M., Lübke, U., Six, J. and Cras, P., The phosphatase inhibitor okadaic acid induces a phosphorylated paired helical filament tau epitope in human LA-N-5 neuroblastoma cells, 57
Verslijpe, M., see Mailleux, P., 125
Viitanen, M., see Lannfelt, L., 85

Wawrocka, M., see Zawilska, J.B., 21
Wilkin, G.P., see Stephens, G.J., 223
Winblad, B., see Lannfelt, L., 85
Wray, D., see Peers, C., 45
Wu, W. and Li, L., Inhibition of nitric oxide synthase reduces motoneuron death due to spinal root avulsion, 121

Yamaguchi, H., see Kawarabayashi, T., 73
Yang, C.-H., see Shyr, M.-H., 161
Yu, X.-M., see Hoheisel, U., 9

Zawilska, J.B. and Wawrocka, M., Chick retina and pineal gland differentially respond to constant light and darkness: in vivo studies on serotonin *N*-acetyltransferase (NAT) activity and melatonin content, 21
Zielasek, J., Archelos, J.J., Toyka, K.V. and Hartung, H.-P., Expression of intercellular adhesion molecule-1 on rat microglial cells, 136
Zini, S., Roisin, M.-P., Armengaud, C. and Ben-Ari, Y., Effect of potassium channel modulators on the release of glutamate induced by ischaemic-like conditions in rat hippocampal slices, 202